


TOPTURN X4500

Compost Windrow Turner



The Komptech Topturn X4500 is a robust compost windrow turner engineered for small and medium-sized commercial composting operations. The X4500, available in a wheel or track chassis, features a sturdy, telescopic frame, high-performance hydraulics and a generous 3'11" diameter drum for high-throughput compost turning production.

- ▶ Produces windrows with ideal, triangular shape for faster composting times
- ▶ Easy and accessible maintenance with hydraulically extendable service platforms
- ▶ Infuse water directly into the center of the windrow pile while turning (available option)



TOPTURN X4500 Technical Specifications

Power

Diesel Engine / Horsepower: CAT® C7.1 Tier 4 Final/ 275 HP

Proportion (dependent on equipment)

Transport Dimensions:
 Wheel - 16'2" x 9'10" x 10'11" (4.9 x 3.0 x 3.3 m)
 Track - 16'2" x 8'3" x 10'10" (4.9 x 2.5 x 3.2 m)

Working Dimensions:
 Wheel - 15'11" x 14'9" x 14'7" (4.9 x 4.5 x 4.4 m)
 Track - 15'8" x 13'7" x 14'6" (4.8 x 4.1 x 4.3 m)

Weight: -32,000 lbs (Wheel) / -33,000 lbs (Track)

Performance (dependent on material)

Maximum Windrow Width: 14'9" (4.5 m)

Maximum Windrow Height: 7'3" (2.2 m)

Maximum Throughput: up to 3,900 yd³/hr (3,000 m³/hr)

Komptech Americas, LLC
 6345 Downing Street, Denver, CO 80216

[t] +1 720.890.9090
 [e] info@komptechamericas.com

We reserve the right to make technical changes due to ongoing development. USA2022-12

Scan this code to learn more about the TOPTURN X4500 and watch it in action!

